









DESCALING



*Twister Metal Grinder: required
18/12mm (3/4"/1/2") adaptor

SPECIAL



Maxi Miller Power+

Shaft Diameter:

18mm (3/4")

Range: 18m (59ft)

Additional Extension**:

11m (36ft)

Pipe Diameter Range
for Tools:



DN100 (4") to DN300 (12")

Power Supply:

400/480Volt, 3-Phase,
16 amp

**Shaft extension sold separately.

COLLAPSED LINER



CONCRETE

Maxi Miller Power+

Available Tools

Premium Original Chain

Premium Cyclone Chain

Smart Spider

Smart Crusher

Smart Sweeper

Twister Concrete Remover

Smart Cutter

Twister+

Twister Metal Grinder*

Size Range

DN100 (4") to DN300 (12")

DN100 (4") to DN300 (12")

DN150 (6") to DN225 (9")

DN70 (3") to DN225 (9")

DN150 (6") to DN300 (12")

DN100 (4") & DN150 (6")


DN100(4") to DN300 (12")

DN150 (6") to DN225 (9")


DN100 (4")

Clay Pipes


DESCALING




SPECIAL



COLLAPSED LINER



CONCRETE



Maxi Miller Power+

Shaft Diameter:

18 mm (3/4")

Range:

18 m (59 ft)

Additional Extension**:

11 m (36 ft)

Pipe Diameter Range for Tools:

DN100 (4") to DN300 (12")

Power Supply:

400/480 Volt, 3-Phase,

16 amp

**Shaft extension sold separately.

Maxi Miller Power+


Available Tools

Size Range


| | |
|--------------------------|---------------------------|
| Original Premium Chain | DN100 (4") to DN300 (12") |
| Cyclone Premium Chain | DN100 (4") to DN300 (12") |
| Smart Spider | DN150 (6") to DN225 (9") |
| Smart Crusher | DN70 (3") to DN225 (9") |
| Twister Concrete Remover | DN100 (4") & DN150 (6") |
| Smart Cutter | DN100(4") to DN300 (12") |
| Twister+ | DN150 (6") to DN225 (9") |
| Twister Metal Grinder* | DN100 (4") |

*possible with 18/12mm (3/4"/1/2") adaptor


DESCALING




INTACT




Smart Spider




Smart Cutter




FRAGILE




Smart Spider




Smart Cutter




DAMAGED




Smart Spider




Smart Cutter




ROOTS




Smart Crusher




Twister+




Smart Spider with Drill Head




METAL




Twister Metal Grinder*




Smart Cutter




FULL




Smart Crusher




Smart Cutter




PARTIAL




Smart Crusher




Smart Cutter




Smart Crusher with Drill Head




"RHUBARB"




Smart Crusher




Smart Cutter




PARTIAL




Twister Concrete Remover with Steering Axle




Smart Cutter



FULL



Twister Concrete Remover



Smart Cutter

Maxi Miller Power+

Shaft Diameter:

18 mm (3/4")

Range:

18m (59 ft)

Additional Extension**:

11m (36 ft)

Pipe Diameter Range for Tools:

DN150 (6") to DN300 (12")

Power Supply:

400/480 Volt, 3-Phase,

16 amp

**Shaft extension sold separately.

Maxi Miller Power+

Available Tools

Size Range

Smart Spider

DN150 (6") to DN225 (9")

Smart Crusher

DN70 (3") to DN225 (9")

Twister Concrete Remover

DN100 (4")

Smart Cutter

DN100 (4") to DN300 (12")

Twister+

DN150 (6") to DN225 (9")

Twister Metal Grinder*

DN100 (4")

*possible with 18mm/12mm (3/4"/1/2") adaptor